

<b>BETONARME ÇELİK ÇUBUKLARIN KESİT DEĞERLERİ</b>				
<b>ÇAP (Ø)</b>	<b>G</b>	<b>F</b>	<b>W</b>	<b>U</b>
<b>Yoğunluk ( D )</b>	<b>Kg/m</b>	<b>Cm2</b>	<b>Cm3</b>	<b>Cm2/m</b>
<b>7,850 Kg/dm3</b>	<b>=D*(π*d²)/4</b>	<b>=(π*d²)/4</b>	<b>=(π*d³)/4</b>	<b>=π*d*100</b>
<b>6</b>	0,222	0,283	0,042	188
<b>8</b>	0,395	0,503	0,050	251
<b>10</b>	0,617	0,785	0,098	314
<b>12</b>	0,888	1,131	0,170	377
<b>14</b>	1,208	1,539	0,269	440
<b>16</b>	1,578	2,011	0,402	503
<b>18</b>	1,998	2,545	0,573	565
<b>20</b>	2,466	3,142	0,785	628
<b>22</b>	2,984	3,801	1,045	691
<b>24</b>	3,551	4,524	1,357	754
<b>26</b>	4,168	5,309	1,726	817
<b>28</b>	4,834	6,158	2,155	880
<b>30</b>	5,549	7,069	2,651	942
<b>32</b>	6,313	8,042	3,217	1005
<b>34</b>	7,127	9,079	3,859	1068
<b>36</b>	7,990	10,179	4,580	1131
<b>38</b>	8,903	11,341	5,387	1194
<b>40</b>	9,865	12,566	6,283	1257
<b>42</b>	10,876	13,854	7,274	1319
<b>44</b>	11,936	15,205	8,363	1382
<b>46</b>	13,046	16,619	9,556	1445
<b>48</b>	14,205	18,096	10,857	1508
<b>50</b>	15,413	19,635	12,272	1571