



C PROFİLLERİ



- h=Profil Taban Geniřliđi (mm)
b= Profil Yanal Yksekliđi
d= Profil Tırnak Uzunluđu
t= Kalınlık (mm)
r= İ Radys (DIN 6935 Minimum Deđerler)
G= Profilin 1 Metre Ađırlıđı

C Profilleri Kesit zellikleri

h	b	d	t	r	F	G	I _x	M _x	İ _x	I _y	M _y	İ _y	X _g	X _z	L
mm	mm	mm	mm	mm	cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm	cm	cm
60	40	10	2.0	2.4	2.94	2.31	17.34	5.78	2.43	6.15	2.44	1.45	1.48	3.30	14.68
60	40	10	2.5	2.4	3.59	2.82	20.74	6.91	2.40	7.24	2.87	1.42	1.48	3.23	14.36
60	40	10	3.0	4.0	4.21	3.30	23.78	7.93	2.38	8.15	3.23	1.39	1.47	3.16	14.03
70	40	10	2.0	2.4	3.14	2.46	24.77	7.08	2.81	6.51	2.50	1.44	1.39	3.14	15.68
70	40	10	2.5	2.4	3.84	3.01	29.11	8.49	2.78	7.66	2.94	1.41	1.39	3.07	15.36
70	40	10	3.0	4.0	4.51	3.54	34.19	9.77	2.75	8.64	3.31	1.38	1.38	2.99	15.03
80	40	15	2.0	2.4	3.54	2.78	35.27	8.82	3.16	8.09	3.19	1.51	1.46	3.36	17.68
80	40	15	2.5	2.4	4.34	3.41	42.50	10.63	3.13	9.59	3.78	1.49	1.46	3.29	17.36
80	40	15	3.0	4.0	5.11	4.01	49.13	12.28	3.10	10.90	4.29	1.46	1.46	3.22	17.03
90	40	15	2.5	2.4	4.59	3.60	56.19	12.19	3.50	10.01	3.83	1.48	1.39	3.15	18.36
90	40	15	3.0	4.0	5.41	4.25	65.09	14.47	3.47	11.39	4.35	1.45	1.38	3.08	18.03
90	40	15	3.5	4.0	6.19	4.86	73.26	16.28	3.44	12.58	4.80	1.43	1.38	3.01	17.70
90	50	15	2.5	2.4	5.09	3.99	65.76	14.61	3.59	17.27	5.40	1.84	1.80	4.06	20.36
90	50	15	3.0	4.0	6.01	4.72	76.45	16.99	3.57	19.81	6.18	1.82	1.80	4.01	20.03
90	50	15	3.5	4.0	6.89	5.41	86.36	19.19	3.54	22.06	6.88	1.79	1.79	3.94	19.70
100	40	20	2.5	2.4	5.09	3.99	74.82	14.96	3.83	11.94	4.68	1.53	1.45	3.35	20.36
100	40	20	3.0	4.0	6.01	4.72	86.94	17.39	3.80	13.65	5.34	1.51	1.45	3.28	20.03
100	40	20	3.5	4.0	6.89	5.41	98.16	19.63	3.77	15.16	5.93	1.48	1.44	3.21	19.70
100	50	20	2.5	2.4	5.59	4.39	86.70	17.31	3.94	20.32	6.48	1.91	1.86	4.29	22.36
100	50	20	3.0	4.0	6.61	5.19	101.06	20.21	3.91	23.40	7.45	1.88	1.86	4.22	22.03
100	50	20	3.5	4.0	7.39	5.96	114.46	22.89	3.88	26.17	8.33	1.86	1.86	4.15	21.70




C PROFİLLERİ

h=Profil Taban Geniřliđi (mm)
 b= Profil Yanal Yksekliđi
 d= Profil Tırnak Uzunluđu
 t= Kalınlık (mm)
 r= İ Radys (DIN 6935 Minimum Deđerler)
 G= Profilin 1 Metre Ađırlıđı

C Profilleri Kesit zellikleri

h	b	d	t	r	F	G	I _x	M _x	I _x	I _y	M _y	I _y	X _g	X _z	L
mm	mm	mm	mm	mm	cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm	cm	cm
120	50	20	3.0	4.0	7.21	5.66	155.78	25.96	4.65	25.01	7.62	1.86	1.72	3.94	24.03
120	50	20	3.5	4.0	8.29	6.51	176.92	29.49	4.62	27.99	8.52	1.84	1.72	3.87	23.70
120	50	20	4.0	4.6	9.35	7.34	196.75	32.79	4.59	30.67	9.33	1.81	1.71	3.80	23.37
120	60	20	3.0	4.0	7.81	6.13	176.32	29.39	4.75	38.90	10.04	2.23	2.12	4.86	26.03
120	60	20	3.5	4.0	8.99	7.06	200.68	33.45	4.72	43.76	11.28	2.21	2.12	4.79	25.70
120	60	20	4.0	4.6	10.15	7.97	223.67	37.48	4.69	48.21	12.41	2.18	2.12	4.77	23.37
140	50	20	3.0	4.0	7.81	6.13	224.92	32.13	5.37	26.37	7.75	1.84	1.60	3.71	26.03
140	50	20	3.5	4.0	8.99	7.06	253.97	36.57	5.33	29.53	8.67	1.81	1.60	3.64	23.70
140	50	20	4.0	4.6	10.15	7.97	285.26	40.75	5.30	37.37	9.50	1.79	1.59	3.57	23.37
140	60	20	3.0	4.0	8.41	6.60	253.08	36.15	5.49	41.07	10.23	2.21	4.60	4.60	28.03
140	60	20	3.5	4.0	9.69	7.61	288.59	41.23	5.46	46.23	11.50	2.18	4.45	4.53	27.70
140	60	20	4.0	4.6	10.95	8.59	322.26	46.34	5.43	50.94	12.66	2.16	1.98	4.45	27.37
150	60	25	3.0	4.0	9.01	7.07	305.97	40.80	5.83	46.53	11.78	2.27	2.05	4.81	30.03
150	60	25	3.5	4.0	10.39	8.16	349.38	46.58	5.80	58.00	13.29	2.25	2.05	4.74	29.70
150	60	25	4.0	4.6	11.75	9.22	390.70	52.09	5.77	58.00	14.67	2.22	2.05	4.67	29.37
150	80	25	3.0	4.0	10.21	8.01	370.80	49.44	6.03	92.57	18.04	3.01	2.87	6.65	34.03
150	80	25	3.5	4.0	11.79	9.26	424.51	56.60	6.00	105.10	20.47	2.99	2.86	6.58	33.70
150	80	25	4.0	4.6	13.35	10.48	475.99	63.46	5.97	116.86	22.74	2.96	2.86	5.51	33.37
160	60	25	3.0	4.0	9.31	7.31	356.58	44.57	6.19	47.50	11.86	2.26	1.99	4.69	31.03
160	60	25	3.5	4.0	10.74	8.43	407.46	50.93	6.16	53.70	13.38	2.24	1.99	4.62	30.70
160	60	25	4.0	4.6	12.15	9.54	455.98	57.00	6.13	59.33	14.78	2.21	1.99	4.55	30.37








C PROFİLLERİ

h=Profil Taban Geniřlięi (mm)
 b= Profil Yanal Ykseklięi
 d= Profil Tırnak Uzunluęu
 t= Kalınlık (mm)
 r= İ Radys (DIN 6935 Minimum Deęerler)
 G= Profilin 1 Metre Aęırlıęı


C Profilleri Kesit Özellikleri

h	b	d	t	r	F	G	I _x	M _x	İ _x	I _y	M _y	İ _y	X _g	X _z	L
mm	mm	mm	mm	mm	cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm	cm	cm
160	80	25	3.0	4.0	10.51	8.25	430.54	53.82	6.40	94.75	18.18	3.00	2.79	6.51	35.03
160	80	25	3.5	4.0	12.14	9.53	493.20	61.65	6.37	107.57	20.64	2.98	2.79	6.44	34.70
160	80	25	4.0	4.6	13.75	10.79	553.34	69.17	6.34	119.62	22.93	2.95	2.78	6.37	34.37
180	60	25	3.0	4.0	9.91	7.78	471.93	52.44	6.90	49.50	12.01	2.24	1.18	4.47	33.03
180	60	25	3.5	4.0	11.44	8.98	539.92	59.99	6.87	55.86	13.55	2.21	1.88	4.40	32.70
180	60	25	4.0	4.6	12.95	10.16	604.96	67.22	6.84	61.73	14.97	2.18	1.88	4.33	32.37
180	80	25	3.0	4.0	11.11	8.72	565.92	62.88	7.24	98.69	18.44	2.98	2.65	6.24	37.03
180	80	25	3.5	4.0	12.84	10.08	648.97	72.11	7.11	112.09	20.93	2.95	2.65	6.17	36.70
180	80	25	4.0	4.6	14.55	11.42	728.88	80.99	7.00	124.67	23.27	2.93	2.64	6.10	37.37
200	80	25	3.0	4.0	11.71	9.19	723.35	72.35	7.86	102.25	18.66	2.96	2.52	6.00	39.03
200	80	25	3.5	4.0	13.54	10.63	830.42	83.04	7.83	116.15	21.18	2.93	2.52	5.93	38.70
200	80	25	4.0	4.6	15.35	12.05	933.52	93.35	7.80	129.21	23.55	2.90	2.51	5.86	38.37





h	t	r	F	G	I_x	M_x	\bar{I}_x	I_y	M_y	\bar{I}_y
mm	mm	mm	cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm
60	2.0	2.4	6.17	4.85	35.1	11.7	2.39	30.6	7.64	2.23
60	2.5	2.4	7.52	5.90	41.8	13.9	2.36	36.5	9.13	2.10
60	3.0	4.0	8.79	6.90	47.7	15.9	2.33	41.8	10.5	2.18
80	2.0	2.4	6.97	5.47	69.1	17.3	3.15	30.6	7.64	2.09
80	2.5	2.4	8.52	6.69	82.7	20.7	3.12	36.5	9.13	2.07
80	3.0	4.0	9.99	7.84	95.0	23.8	3.08	41.9	10.5	2.05
100	2.0	2.4	7.77	6.10	117	23.4	3.88	30.6	7.64	1.98
100	2.5	2.4	8.66	7.47	141	28.1	3.84	36.5	9.14	1.96
100	3.0	4.0	11.2	8.78	162	32.5	3.81	41.9	10.5	1.94
120	2.0	2.4	8.57	6.73	180	30.1	4.59	30.6	7.65	1.89
120	2.5	2.4	10.5	8.26	218	36.3	4.55	36.6	9.14	1.86
120	3.0	4.0	12.4	9.73	252	42.0	4.51	42.0	10.5	1.84
140	2.0	2.4	9.37	7.36	261	37.3	5.28	30.6	7.65	1.81
140	2.5	2.4	11.5	9.04	316	45.1	5.24	36.6	9.15	1.78
140	3.0	4.0	13.6	10.7	367	52.4	5.19	42.0	10.5	1.76



h	t	r	F	G	I_x	M_x	i_x	I_y	M_y	i_y
mm	mm	mm	cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm
160	2.0	2.4	10.2	7.99	360	45.0	5.95	30.6	7.65	1.74
160	2.5	2.4	12.5	9.83	437	54.6	5.91	36.6	9.15	1.71
160	3.0	4.0	14.5	11.6	508	63.5	5.86	42.0	10.5	1.69
180	2.0	2.4	11.0	8.01	500	53.3	6.61	30.6	7.66	1.67
180	2.5	2.4	13.5	10.6	583	64.8	6.57	36.6	9.16	1.65
180	3.0	4.0	16.0	12.6	680	75.5	6.52	42.0	10.5	1.62
200	2.5	2.4	14.5	11.4	756	75.6	7.22	36.7	9.16	1.59
200	3.0	4.0	17.2	13.5	883	88.3	7.17	42.1	10.5	1.57
220	2.5	2.4	17.0	13.3	1040	94.6	7.83	39.5	9.87	1.53
220	3.0	4.0	18.4	14.4	1120	102	7.81	42.1	10.5	1.51